

# DURAFLOOR

**ESPRESSA**  
looselay luxury vinyl tiles




ESPRESSA Natural Grey

## ESPRESSA



1713 Tawny



1712 Natural Grey



1736 Limed Essence



1718 Timeless Oak



1738 Mocha Oak

ESPRESSA is a range of loose lay tiles that replicates the attractive natural effects found in wood and stone.

Available in 7 popular wood effect designs, ESPRESSA brings classic elegance to any restaurant, office or commercial space.

Created specifically with the needs of the interior designer in mind. We understand the importance of making a good first impression; and the ability to instantly create a stunning look that will stand the test of time.



1716 Savannah Oak



1725 Honey Grain



1714 Dove Grey



ESPRESSA Limed Essence

We are able to offer a fast turnaround and the Espressa range matches many of the design and specification requirements of a busy commercial environment.

Being loose lay means installation is fast and easy, and with a wear layer of 0.7mm and an R10 slip-rating, the range is perfect for heavy traffic areas.



ESPRESSA Savannah Oak



1736 Limed Essence



1716 Savannah Oak



ESPRESSA Concrete Mist



1747 Concrete Mist



1743 Concrete Ash



1752 Concrete Graphite



## ESPRESSA

For a modern commercial environment, we offer a range of concrete shades available in light, mid and dark grey.

These designs are especially suited to offices and interiors that have a more industrial feel. An on-trend urban environment can be created but with the added warmth, and the many benefits of looselay, luxury vinyl tiles.

Always a popular product for hospitality, retail and educational environments, where practicality and style are perfectly combined.

# ESPRESSA

## Product Specifications

### Dimensions



**Plank 178 x 1220mm**

**Pack Size 2.17m<sup>2</sup>**

1712, 1714, 1716, 1718,  
1725, 1736, 1738

**Tile 470 x 470mm**

**Pack Size 2.21m<sup>2</sup>**

1743, 1747, 1752



**Total Weight**

8,400g/m<sup>2</sup>



**Total Thickness**

5.0mm



**Wear Layer**

0.7mm

### Technical Data



**Fire Rating**

ISO 13501-1 Bfl-S1



**Light Fastness**

ISO 105 B02 ≥ 6



**Dimensional Stability**

EN 434 ≥0.25%



**Impact Sound Reduction**

EN ISO 717-2 LW = 17dB



**Slip Resistance**

DOM 51130 R10

**Scratch Resistance**

EN 660-2 Class T



EN 10582/23



EN 10583/33



EN 10584/42

### Guarantee

12 years commercial wear guarantee

01592 630 030  
uksales@durafloor.com

DURAFLOOR.COM

part of the **Langford Group**

All colours are for illustrative purposes only.  
If colour choice is critical, please request a sample