

# DESIGN WITHOUT THE DELAY.

We make everything simpler, from getting a price to getting your delivery – the process is painless and the design possibilities comprehensive.



# DURAFLOR



# FLOORING WITHOUT THE FUSS.

It's why we make the whole experience as simple as it can be, from finding the perfect design to getting it delivered to your location.

Duraflor is an exclusive brand of the Langford Group and supplied by SASGO Ltd. the Group's experienced service and distribution arm. What that means is knowledgeable people who understand flooring, as well as the specific project needs of contractors and end users. This includes FORS Silver accredited deliveries, on-site visits, even a project flooring planning and costing services, where required. Combine that with the benefits of the Duraflor brand, and you really do get flooring without the fuss!

## Choice without the confusion.

Colour choices can be confusing and ideally you don't want to have to browse endless hues, shades, and tones. It's why we make our colour choice much simpler.

We stock a comprehensive selection of popular, relevant, and practical colours that work for a wide range of projects to make your decisions easier, and to keep your project on schedule.

## Pricing without the pain.

When you are looking for the right floor, you don't want to have to jump through hoops to find out how much it will cost you. It's why we have made our approach to pricing instant.

We make it simple to find the prices you need by sharing a link, so you can immediately price up a job, even on-site when talking to your client. You can also try different range options and quantity breaks. Ask for details.

## Delivery without the delay.

When the moment to install your flooring is fast approaching, the last thing you need is to have any doubts as to whether it will turn up on time.

We are always ready to dispatch quickly, so wherever you are in the UK, you'll get your floor covering when you need it. Most of our ranges are available for next day delivery.

## Contact us today:

[www.duraflor.com](http://www.duraflor.com)  
0330 053 2500  
[sales@sasgo.co.uk](mailto:sales@sasgo.co.uk)






# VINYL WITHOUT THE VEXING.

Popular modern stone and wood effect Luxury Vinyl Tiles and attractive Safety Flooring designs.

All our vinyl ranges are available from stock for next day delivery. Available in Wood, Stone and Patterned.

Luxury Vinyl Tile Range Name	Stock / Project	Style	Description	Price Ranges	Page
ELEGANZA		Wood	Short Plank LVT	££	8
ESPRESSA		Wood & Stone	Looselay LVT	££	10
MOMENTA		Wood & Stone	Stick Down LVT	££	12
AXIS		Wood, Stone & Patterned	Looselay LVT	£££	14

Sheet Vinyl/Safety Flooring Range Name	Stock / Project	Style	Description	Price Ranges	Pages
CIENNA		Wood & Concrete	Vinyl Safety Flooring	££	46
DURAGRIP		Patterned	Vinyl Safety Flooring	££	48
RESOLUTE		Patterned	Vinyl Safety Flooring	££	50

## Key



**Stock:** Available now, dispatched immediately.



**Project:** Available to order, delivered 2-3 days based on quantities required.


















1716 ESPRESSA Savannah Oak




# RANGES WITHOUT THE RIGMAROLE.

Wide range of popular carpet tiles in stock for immediate delivery.

Many of our ranges are available for immediate delivery from stock, these include our most popular colours and designs. We also offer a range popular specialist designer ranges that are available on a fast lead time for future projects. In essence a range for every budget and every timescale.

Carpet Tile Range Name	Stock / Project	Description	Price Ranges	Page
CHECKSTAR		Heavy Contract Carpet Tile (Polypropylene)	£	42
NEBULA		Heavy Contract Carpet Tile	£	44
BLIZZARD		Heavy Contract Carpet Tile	££	18
MAGNITUDE		Heavy Contract Carpet Tile	££	20
PROGRESSION		Heavy Contract Carpet Tile	££	28
PROGRESSION PLANK		Heavy Contract Carpet Tile	£££	30
BRIGHT IDEAS		Heavy Contract Carpet Tile	£££	32
HEXTILE		Hexagon Heavy Contract Carpet Tile	£££	34
FREEDOM STORM II		Heavy Contract Carpet Tile	£££	16
WORKPLACE		Heavy Contract Carpet Tile	£££	40
CUBISM		Heavy Contract Carpet Tile	££££	36
NATURAL TERRAIN ESCARPMENT		Heavy Contract Carpet Tile	££££	22
NATURAL TERRAIN PLATEAU		Heavy Contract Carpet Tile	££££	24
NATURAL TERRAIN TUNDRA		Heavy Contract Carpet Tile	££££	26
MIGRATION		Heavy Contract Carpet Tile (Cut Pile)	££££	38



5247 FREEDOM STORM II Platinum



Stock



# ELEGANZA

3102 Smoked Pear

ELEGANZA is a contemporary range of short plank luxury vinyl tiles, available in attractive wood colours with highly textured designs. The ELEGANZA range is easy to install and ideally suited for both commercial and domestic environments. It is scuff and stain resistant, as well as being easy to clean and maintain.



**3102** Smoked Pear



**3107**  
Spiced  
Rosewood



**3113**  
Bronzed  
Cyprus



**3118**  
Smoked  
Hawthorn



**3121**  
Peppered  
Oak



**3124**  
Burnished  
Oak



**3126**  
Spiced  
Chestnut

## Product Specifications

### Dimensions & Technical Data



Plank Size  
632 x 158mm – 2.4m<sup>2</sup>



Total Thickness  
2.5mm



Wear Layer  
0.55mm



Total Weight  
4059g/m<sup>2</sup>



Wear Rating  
BS EN 10582/33  
Class 33



Dimensional Stability  
ISP 23999 Norm.  
≥0.25%. Avr. results  
measured ≥0.05%



Wear Rating  
BS EN 10582/42  
Class 42

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Impact Sound  
Reduction  
EN ISO 717-2 = 3dB



Light Fastness  
ISO 105 B02 ≥6



Slip Resistance  
DIN51130 R10



Abrasion  
Resistance EN  
ISO 660-2 Class T

### Guarantee

10 years commercial,  
20 years domestic guarantee





Stock

# ESPRESSA

1725 Honey Grain

ESPRESSA is a range of loose lay tiles that replicates the attractive natural effects found in wood and stone. It is designed to enhance any interior and is ideal for heavy traffic areas.

## Product Specifications

### Dimensions & Technical Data



Plank Size  
178 x 1220mm, 2.17m<sup>2</sup>

Tile Size

1721, 1743, 1747, 1752  
470x470, 2.21m<sup>2</sup>



Wear Layer  
0.7mm



Wear Rating  
BS EN 10582/42  
Class 42



Total Thickness  
5mm



Total Weight  
8400g/m<sup>2</sup>



Dimensional Stability  
EN 434 ≥0.25%



Wear Rating  
BS EN 10582/33  
Class 33

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Light Fastness  
ISO 105 B02 ≥6



Abrasion  
Resistance EN  
ISO 660-2 Class T



Impact Sound  
Reduction  
EN ISO 717-2 LW  
= 17dB



Slip Resistance  
DIN51130 R10

### Guarantee

12 years commercial,  
20 years domestic guarantee



**1725** Honey Grain



**1712**  
Natural Grey



**1714**  
Dove Grey



**1716**  
Savannah Oak



**1718**  
Timeless Oak



**1736**  
Limed Essence




**1738**  
Mocha Oak



**1743**  
Concrete Ash



**1747**  
Concrete Mist



**1752**  
Concrete  
Graphite



Stock

# MOMENTA

4841 Jacobean Oak

The MOMENTA range encompasses the latest popular colours in both wood effect and stone. Being a heavy contract luxury vinyl tile, makes it ideal for high-traffic environments. Plus, it is micro bevelled on all sides for the perfect finish. The result is a textured, authentic looking floor that is easy to maintain and always on trend.

## Product Specifications

### Dimensions & Technical Data



Plank Size Wood  
196 x 1320mm – 3.62m<sup>2</sup>  
  
Tile Size  
329 x 659mm – 3.47m<sup>2</sup>



Tile Thickness  
2.5mm



Wear Layer  
0.55mm



Total Weight  
4.040g/m<sup>2</sup>



Wear Rating  
BS EN 649/33  
Class 33



Underfloor Heating  
Suitable



Wear Rating  
BS EN 649/42  
Class 42



Castor Chair Test  
EN425 Pass

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Slip Resistance  
DIN51130 R10



Light Fastness  
ISO 105 B02 ≥6



Stain Resistance  
EN150 26987  
Very Good



Electrical Resistance  
EN 1081 ≤10 Ohm

### Guarantee

10 years commercial,  
20 years domestic guarantee



4841 Jacobean Oak



4803  
Weathered  
Oak



4805  
English Oak



4806  
Glacio



4807  
Oak Universo



4808  
Legacy Oak



4826  
Andesite  
Grey



4829  
Concrete  
Pearl



4834  
Lava Grey



4844  
Walnut Oak



4851  
Pewter Rock



4855  
Argento





Stock








# AXIS

1318 Oak Nature







AXIS is a heavy contract looselay vinyl floor tile range, so subfloor preparation time is reduced. And with a Wear Layer of 0.7mm, it can be installed in even the most demanding environments – offering you the perfect solution for fast track installations with plenty of style in busy areas.

## Product Specifications

### Dimensions & Technical Data

 Plank Size 177.8 x 1219.2mm, 2.17m <sup>2</sup>	 Total Thickness 5.0mm
Tile Size 500x500 2m <sup>2</sup> (8 tiles)* 457 x 914mm (6 tiles)**	 Total Weight 8400g/m <sup>2</sup>
 Wear Rating BS EN 649/33 Class 33	 Wear Layer 0.7mm
 Wear Rating BS EN 649/33 Class 33	 Wear Rating BS EN 649/42 Class 42

### Technical Data

 Fire Rating BS EN 13501-1 Bfl-s1	 Impact Sound Reduction EN ISO 717-2 = 8dB
 Light Fastness ISO 105 B02 ≥6	 Slip Resistance DS / R9-10
 Abrasion Resistance EN ISO 660-2 Class T	 Dimensional Stability EN986 ≤0.10%

### Guarantee

12 years commercial,  
20 years domestic guarantee



1318 Oak Nature



1314  
Rustico  
Washed



1320  
Ash Mistral\*\*



1336  
Concrete  
Light Grey\*/\*\*



1341  
Concrete  
Mid Grey\*/\*\*



1343  
Oak Essential



1348  
Woven  
Graphite\*



1350  
Brushed  
Grey\*\*



1357  
Brushed  
Anthracite\*\*




1362  
Oak Russett



1368  
Oak  
Cinnamon



1372  
Rustico Dark



1382  
Concrete  
Pewter\*/\*\*





Stock

# FREEDOM STORM II

5247 Platinum

The subtlety of the FREEDOM Storm II range gives any building an air of luxury. Although inspired by nature's cloudy skies as a storm is about to break, the design has a distinctly calming impact. The FREEDOM STORM II range combines luxury, style, quality and affordability. This is underlined by its heavyweave construction, giving it 30% greater tuft density and yarn content than typical comparable products.

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
5.46mm



Pile Weight  
660g/m<sup>2</sup>



Total Weight  
3935g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density  
240,000/m<sup>2</sup>

### Laying Pattern

Brickbond, Random Lay

### Technical Data



Fire Rating  
BS EN 13501-1 Cfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 B02 ≥6




Castor Chair Test  
EN985/A Pass ≥2.4



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 - X12 = 5

Colour Fastness (Water)  
ISO 105 - CO5 = 5




5247 Platinum



5240  
Aquamarine



5243  
Mercury



5245  
Kyanite



5248  
Flintstone



5249  
Citrine



5253  
Titanium



5256  
Magma



5259  
Fern

### Guarantee

20 years commercial guarantee





Stock

# BLIZZARD

6931 Whirlwind and 6922 Westbound


The popular design style of BLIZZARD meets the need to create an interest in the floor, while not detracting from the furnishings it is supporting.


For added vibrancy, yet still maintaining a subtle effect, BLIZZARD Mountain Breeze, Solar Swirl, Monsoon Drift and Smoke Twist with their two-tone effects, add interest to any floorscape – exuding affordable design.


## Product Specifications

### Dimensions

 Tile Size  
500 x 500mm

 Total Thickness  
5mm

 Pile Weight  
525g/m<sup>2</sup>

 Total Weight  
3590g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density 193,700/m<sup>2</sup>

### Laying Pattern


Brickbond, Random Lay

### Technical Data

 Fire Rating  
BS EN 13501-1 Cf-s1

 Antistatic  
EN 6356 <2kV

 Light Fastness  
ISO 105 B02 ≥6

 Castor Chair Test  
EN985/A ≥2.4

 Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 – X12 = 5

Colour Fastness (Water)  
ISO 105 – CO5 = 5

### Guarantee

15 years commercial guarantee



6931 Whirlwind



6712  
Smoke Twist




6740  
Mountain Breeze



6773  
Monsoon Drift



6844  
Sand Storm



6852  
Solar Swirl



6922  
Westbound



6928  
Southeast



6933  
Due North





Stock

# MAGNITUDE

6423 Due South


Subtle degrees of linear patterns all pointing in the same direction is the inspiration for the MAGNITUDE Carpet Tile Range. Linear flooring is always a winner and this statement range is no exception. 100% Solution Dyed Nylon and with a 15 year commercial wear guarantee, this range offers a very affordable solution to a project that demands a quality specification and a modern look.



6423 Due South



6412 Eastbound



6418 Northwest

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
5mm



Pile Weight  
525g/m<sup>2</sup>



Total Weight  
3590g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density  
193,700/m<sup>2</sup>

### Laying Pattern

Brickbond, Monolithic

### Technical Data



Fire Rating  
BS EN 13501-1 Cfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 B02 >6



Castor Chair Test  
EN985/A ≥2.4



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 - X12 = 5

Colour Fastness (Water)  
ISO 105 - CO5 = 5

### Guarantee

15 years commercial guarantee



Project

# NATURAL TERRAIN ESCARPMENT

6302 Grey Vista

ESCARPMENT is part of the NATURAL TERRAIN Collection that shares the same colour palette as our Plateau and Tundra Ranges. Popular for large scale projects the ranges are often used in different rooms to keep the same colour scheme while creating a different ambience in each.

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
6.5mm



Pile Weight  
710g/m<sup>2</sup>



Total Weight  
4500g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density  
+36 stitches/10cm

### Laying Pattern

Brickbond

### Technical Data



Fire Rating  
ISO 9239-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 B02 >5



Castor Chair Test  
EN985/A Continuous Use



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 – X12 4.5

Colour Fastness (Water)  
ISO 105 E01 4.5

### Guarantee

15 years commercial guarantee




6302 Grey Vista



6304  
Atlas



6305  
Summit



6307  
Mesa



6309  
Light Contour



6311  
Bluff Brown



6314  
Dark Rift



6317  
Sierra





## Project



# NATURAL TERRAIN PLATEAU

6332 Bluff Brown

PLATEAU takes its cues from the subtle yet immense character of a vast plateau that stretches into the distance. Hovering above it you see subtle shades seamlessly blend into each other to create a luxurious floor-scape, which mirrors one of nature's most beautiful landscapes.

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
6.5mm



Pile Weight  
710g/m<sup>2</sup>



Total Weight  
4500g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density  
+36 stitches/10cm

### Technical Data



Fire Rating  
ISO 9239-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 B02 >5



Castor Chair Test  
EN985/A Continuous Use



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract



Colour Fastness (Rubbing)  
ISO 105 - X12 4.5



Colour Fastness (Water)  
ISO 105 E01 4.5

### Laying Pattern

Brickbond

### Guarantee

15 years commercial guarantee



6332 Bluff Brown



6323  
Grey Vista



6325  
Atlas



6326  
Summit



6328  
Mesa



6330  
Light Contour



6335  
Dark Rift



6338  
Sierra





Project

# NATURAL TERRAIN TUNDRA

6343 Atlas

TUNDRA is inspired by the blended tones formed by the Earth's rich landscape. It is reminiscent of icy grey rivers and rolling treeless hillsides. It is subtle yet distinctive, and brings an air of luxury to any floor.

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
6.5mm



Pile Weight  
710g/m<sup>2</sup>



Total Weight  
4500g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density  
+36 stitches/10cm

### Laying Pattern

Brickbond and Monolithic

### Technical Data



Fire Rating  
ISO 9239-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 B02 >5



Castor Chair Test  
EN985/A Continuous Use



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract



Colour Fastness (Rubbing)  
ISO 105 – X12 4.5

Colour Fastness (Water)  
ISO 105 E01 4.5

### Guarantee

15 years commercial guarantee



6343 Atlas



6341  
Grey Vista



6344  
Summit



6346  
Mesa



6348  
Light Contour



6350  
Bluff Brown



6353  
Dark Rift



6356  
Sierra





Stock



# PROGRESSION

1555 Design Volcanic and 1505 Cliff Face

PROGRESSION our most requested range is available in plain, pinstripe and patterned tiles, hexagons and planks. The possibilities are endless.

## Product Specifications

### Dimensions



Size  
Tile: 500 x 500mm  
Hex: 433 x 500mm  
Plank: 250 x 1000mm



Total Thickness  
5mm



Total Weight  
4,300g/m<sup>2</sup>



Pile Weight Plain/  
Pinstripe 500g/m<sup>2</sup>  
Design 515g/m<sup>2</sup>

### Construction

Pile Type  
100% Suprona™ Nylon

Tuft Density  
145,600/m<sup>2</sup>

### Laying Pattern

Plain: Broadloom, All: Quarter Turn, Brickbond

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 >6



Castor Chair Test  
EN985/A: Suitable for  
continuous use



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Water)  
ISO 105 min 4-5

### Guarantee

12 years commercial guarantee



**1555**  
Design  
Volcanic



**1505**  
Cliff Face



**1533**  
Taupe



**1502**  
Black Ice



**1537**  
Design Opal  
Jade



**1508**  
Night Sky



**1510**  
Design Pumice



**1515**  
Monsoon



**1522**  
Pinstripe  
Rip Tide




**1527**  
Pinstripe  
Everglade



**1532**  
Design  
Lapis




**1545**  
Pinstripe  
Grey Tones



**1558**  
Pinstripe Lead  
Pipe




**1560**  
Pinstripe  
Midnight




**1568**  
Design Nickel



**1570**  
Graphite



**1578**  
Steel Shot



**1593**  
Deep  
Ocean





## Project



# PROGRESSION PLANK

3565 Volcanic, 3588 Steel Shot, 3512 Black Ice

Many of the PROGRESSION Range colours also come as planks. The selection of dark and light greys create eye-catching designs. Plank design laying patterns also presents many possibilities, monolithic, herringbone, double herringbone, random drop, perhaps half drop, or maybe even brick.



**3512**  
Plank  
Black Ice



**3515**  
Plank  
Cliff Face




**3518**  
Plank  
Night Sky




**3565** Plank Volcanic



**3588**  
Plank Steel  
Shot



**3578**  
Plank Design  
Nickel



**3580**  
Plank  
Graphite

## Product Specifications

### Dimensions



Size  
Tile: 500 x 500mm  
(Plank: 250 x 1000mm)



5mm



Total Weight  
4,300g/m<sup>2</sup>



Pile Weight  
Plain/Pinstripe 500g/m<sup>2</sup>  
Design 515g/m<sup>2</sup>



Total Thickness

### Construction

Pile Type  
100% Suprona™ Nylon

Tuft Density  
145,600/m<sup>2</sup>

### Laying Pattern

Monolithic, Herringbone, Half Drop, Brick and more

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 >6



Castor Chair Test  
EN985/A: Suitable for  
continuous use



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract



Colour Fastness (Water)  
ISO 105 min 4-5

### Guarantee

12 years commercial guarantee





Stock

# BRIGHT IDEAS

3827 Fusion

Add vibrancy to a floor with colours that make traditional blues, blacks and greys pop. BRIGHT IDEAS can also be bought as a hexagon tile and can be combined with the hexagon options from our popular PROGRESSION range. Simply use the code or ask for HEXXTILE and the same colour name.



3827 Fusion



3829 Blueray



3835 Satellite



3841 Camera



3856 Compass

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
6.1mm



Pile Weight  
575g/m<sup>2</sup>



Total Weight  
4375/m<sup>2</sup>

### Construction

Pile Type  
100% Aquafil Econyl Nylon

Tuft Density  
153,500/m<sup>2</sup>

### Laying Pattern

Broadloom, Quarter Turn, Brickbond, Ashlar

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract



Dimensional Stability  
BS EN 986:2005 <0.20%

### Guarantee

12 years commercial guarantee





Stock

# HEXXTILE

2537 Compass

Our popular PROGRESSION range and BRIGHT IDEAS combination is especially sought after in an on trend hexagon tile design. The possibilities to add interest to a floor are infinite with our HEXXTILE range.

## From the PROGRESSION Range




2511 Steel Shot




2513 Nickel



2520 Cliff Face



2524 Night Sky



2531 Graphite



2534 Black Ice



2542 Volcanic

## From the BRIGHT IDEAS Range



2517 Blueray



2535 Fusion



2543 Satellite



2528 Camera



2537 Compass

## Product Specifications



See Progression & Bright Ideas Specification





## Project



# CUBISM

6718 Picasso Blue

CUBISM is a modern twist on a design style that has stood the test of time. Inspired by the artists of the past and the geometric trends of today, CUBISM includes subtle blocks of colour in random patterns to create a truly inspirational canvas.

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
5.8mm



Pile Weight  
620g/m<sup>2</sup>



Total Weight  
4200g/m<sup>2</sup>

### Construction

Pile Type  
100% Polyamide 6 Solution  
Dyed Econyl

Tuft Density  
177,750/m<sup>2</sup>

### Laying Pattern

Ashlar, Quarter Turn

### Technical Data



Fire Rating  
ISO 9239-1 Bfl-s1



Antistatic  
EN 6356 -0.1 kV



Light Fastness  
ISO 105 B02 >5



Castor Chair  
Test EN985/A  
Continuous Use




Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 - X12 = 5

Colour Fastness (Water)  
ISO 105 - E01 4

### Guarantee

15 years commercial guarantee



6718 Picasso Blue



6710  
Amaral Grey



6713  
Delauny Teal



6715  
Klee Grey



6716  
Dali Sapphire



6719  
Rivera Black



6721  
Cezanne  
Beige



6724  
Frida  
Chestnut



6726  
Mondrian  
Brown





Project

# MIGRATION

0446 Autumn

MIGRATION is an excellent choice when seeking a hard-wearing carpet tile with a softer feel. Designed for heavy traffic areas, the unique cut pile colours feel more luxurious underfoot and have been carefully selected to hide soiling. MIGRATION is suitable for a wide range of locations including commercial, education and institutions.

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
6mm



Pile Weight  
800g/m<sup>2</sup>



Total Weight  
4600g/m<sup>2</sup>

### Construction

Pile Type  
100% Polyamide 6 Sol Syed

Tuft Density  
195,000/m<sup>2</sup>

### Technical Data



Fire Rating  
BS EN 13501-1 Cfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 >6



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 E01 4-5

Colour Fastness (Water)  
ISO 105 E01 4-5

### Laying Pattern

Brickbond, Quarter Turn, Broadloom, Ashlar

### Guarantee

10 years commercial guarantee



0466 Autumn



0422  
Shadow



0433  
Black Pepper



0444  
Forest



0455  
Bark



0477  
Ocean



0488  
Coral



0499  
Sky





Stock & Project

# WORKPLACE

7016 Deep Glade

WORKPLACE is a range of plain tiles for every option of soft furnishings and fixtures.



7016 Deep Glade

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
6mm



Pile Weight  
500g/m<sup>2</sup>



Total Weight  
4300g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed Nylon

Tuft Density  
171,260/m<sup>2</sup>

### Technical Data



Fire Rating  
BS EN 13501-1 Cf-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 Scale 6



Castor Chair Test  
EN985/A ≥2.4



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 - X12 >4

Colour Fastness (Water)  
ISO 105 ≥5

### Laying Pattern

Broadloom, Quarter Turn, Brickbond, Ashlar

### Guarantee

10 years commercial guarantee



7010 Stocked  
Gun Smoke



7011  
Blue Shimmer



7012  
Baltic



7013 Stocked  
Cobalt



7014  
Olive



7015 Stocked  
Grey Steel



7017  
Indian Spice



7018  
Raffia



7019  
Silver Birch



7020  
Walnut



7021  
Arctic Sea



7022  
Lagoon



7023  
Kingfisher



7024  
Kelp



7026  
Black Hole



7027  
Indigo



7028  
Barley



7030  
Topaz



7031  
Rattan



7032  
Pewter



7038  
Praline





Stock

# CHECKSTAR

2811 Storm

Popular plain colours provide both attractive and practical flooring which is ideal for general office use, schools, store rooms and dilapidations. CHECKSTAR is a budget option that offers the benefit of being stain resistant, and is produced using polypropylene, which has permanently anti-static properties.



2811 Storm



2802  
Day Spring



2805  
Flint



2809  
Midnight



2813  
Wheatfield



2814  
Onyx

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
5.9mm



Pile Weight  
390g/m<sup>2</sup>



Total Weight  
4180g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed  
Polypropylene

Tuft Density  
172,000/m<sup>2</sup>

### Laying Pattern

Broadloom, Quarter Turn, Brickbond, Ashlar

### Technical Data



Fire Rating  
BS EN 13501-1 Dfl-s1



Antistatic  
EN 1815 <2kV. Passes  
IBM/ICL computer  
requirements



Light Fastness  
ISO 105 B02 6



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract

Colour Fastness (Rubbing)  
ISO 105 - X12 4-5  
Colour Fastness (Water)  
ISO 105 E01 4-5

### Guarantee

5 years commercial guarantee





Stock




# NEBULA

8406 Cirrus and 8410 Luna

NEBULA is available in 6 plain colours that work perfectly in any environment. This solution dyed nylon carpet is hard wearing and won't fade or lose colour. It also has the benefit of a Bfl-s1 classification the highest possible class for a textile floor covering.

A perfect option for offices, schools and public places, especially when working to a tight budget. Combined with our next day delivery service NEBULA helps you deliver on-time and on-budget.



8406 Cirrus



8410  
Luna



8422  
Moonstone



8427  
Black Hole



8432  
Jupiter



8436  
Solar

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm



Total Thickness  
5mm



Pile Weight  
450g/m<sup>2</sup>



Total Weight  
3780g/m<sup>2</sup>

### Construction

Pile Type  
100% Solution Dyed  
BCF Nylon

Tuft Density  
157,600/m<sup>2</sup>

### Laying Pattern

Broadloom, Quarter Turn, Brickbond, Ashlar

### Technical Data



Fire Rating  
BS EN 13501-1 Bfl-s1



Antistatic  
EN 6356 <2kV



Light Fastness  
ISO 105 B02 ≥6



Castor Chair Test  
EN985/A



Wear Rating BS  
EN 1307 Class 33  
Heavy Contract



Dimensional Stability  
BS EN 986: max 0.2%

Colour Fastness (Rubbing)  
ISO 105 – X12 >4

### Guarantee

7 years commercial guarantee





Stock

# CIENNA









8531 Pebble Stone

The CIENNA Collection is a mix of wood, stone and concrete effect safety flooring. Each design shares a natural raw beauty and a distinctive authenticity.

A hard wearing, safety flooring that is suitable for areas where slip risk is high, and superior aesthetics are essential. The range is PTV rated at 36+ slip resistance, incorporating an innovative grip technology. It is available in 2m widths which means less joints for an even more comprehensive hygienic solution.

## Product Specifications

### Dimensions and Technical Data

 Width of Roll 2m	 Total Thickness 2mm
 Length of Roll 20m	 Total Weight 2850g/m <sup>2</sup>
 Underfloor Heating EN 12 524 Suitable	 Dimensional Stability ISO 23999 ≤0.10%
 Wear Rating BS EN 685/34 Class 34	 Wear Rating BS EN 685/43 Class 43

### Technical Data

 Fire Rating BS EN 13501-1 Bfl-s1	 Impact Sound Reduction EN ISO 717-1 ΔLw 7dB
 Residual Indentation EN ISO 24343-1 0.04mm (norm ≤ 0.10mm)	 Chemical Resistance EN ISO 26987 – Very Good
	 Slip Resistance DIN 51130 R11 RRL 36+ Permanent

### Guarantee

10 years commercial, 20 years domestic guarantee



8531 Pebble Stone



8502  
Shale Timber



8507  
Sandstone  
Timber



8508  
Basalt  
Concrete



8511  
Calcite Oak



8514  
Moonstone  
Concrete



8517  
Amber Oak



8521  
Dolomite Oak



8524  
Slate Stone



8527  
Granite  
Wood



8535  
Graphite Oak



8538  
Bronzite  
Barnwood





Stock











# DURAGRIP

5758 Linen





Developed to meet the most demanding requirements, DURAGRIP is widely used as a hospital and healthcare flooring solution. It is used by care homes, schools, food-processing areas and in other flooring applications where safety, hygiene and durability are paramount.

## Product Specifications

### Dimensions and Technical Data

 Width of Roll 2m	 Total Thickness 2mm
 Length of Roll 20m	 Total Weight 2700g/m <sup>2</sup>
 Slip Resistance DIN51130 R10 RRL Pendulum Test (wet) >36	 Dimensional Stability ISO 23999 Norm. Max – 0.2%
 Wear Rating BS EN 685/34 Class 34	 Wear Rating BS EN 685/43 Class 43


### Technical Data

 Fire Rating BS EN 13501-1 Bfl-s1	 Chemical Resistance EN ISO 26987 / ASTM F925-02 Good Resistance
 Light Fastness ISO 105 B02 Grade 6	 Residual Indentation EN ISO 24343 0.1mm

100% Recyclable

### Guarantee


12 years commercial, 20 years domestic guarantee




5758 Linen



5706  
Glacier



5710  
Steelwork



5733  
Storm Burst



5741  
Wheat



5749  
Pitch Black



5753  
Cottonseed




5761  
Burnt Almond



5784  
Cornflower



5787  
Tornado



5754  
Moonlight



5756  
Meadow






Stock

# RESOLUTE

5842 Manatee

Developed to meet the needs of specifiers and end users alike, RESOLUTE is a heavy duty vinyl which is the ideal flooring for hospitals, nursing homes and healthcare establishments. Its safety and hygiene benefits make it popular for a wide variety of buildings not just the care sector but also schools, offices and retail outlets. It also provides excellent durability for domestic/social housing use.



**5842** Manatee



**5814**  
Slate




**5822**  
Argent



**5825**  
Vulcan



**5826**  
Flint



**5808**  
Flax



**5810**  
Aero



**5835**  
Pearl

## Product Specifications

### Dimensions and Technical Data



Width of Roll  
2m



Total Thickness  
2mm



Length of Roll  
20m



Total Weight  
2700g/m<sup>2</sup>



Underfloor  
Heating  
EN 12 524  
Suitable



Dimensional Stability  
ISO 23999 – 0.2%



Wear Rating  
BS EN 685/34  
Class 34



Wear Rating  
BS EN 685/43  
Class 43

### Technical Data



Fire Rating  
BS EN 13501–1 Bfl–s1



Chemical Resistance  
EN ISO 26987 /  
ASTM F925–02  
Good Resistance



Residual Indentation  
EN ISO 24343 0.1mm



Slip Resistance  
DIN 51130 R10  
RRL Pendulum Test  
(wet) – > 36

100% Recyclable

### Guarantee

12 years commercial, 20 years domestic guarantee





Stock



# ENTRAGUARD

ENTRAGUARD and 7369 Checkpoint Riverbank (Barrier Matting)

Research proves that up to 90% of dirt in a building is ‘walked in’ or comes in via wheeled traffic. Reducing this ingress of dirt and moisture increases the life of floor coverings, helps maintain the attractiveness of a building and saves money. An effective matting system can also reduce slip accidents, providing for additional public safety.

Determining the best matting solution depends on traffic use and the external environment. Primary matting is often used in conjunction with secondary matting (barrier tiles) to provide a total matting solution.

## ENTRAGUARD

A primary barrier, 100% aluminium matting system – combining textile or rubber wiper strips to meet internal and external doorway requirements for both dirt and moisture removal.

- Saves time – very simple to install
- Increase profits – no special shaping or installation charges
- In stock for next day delivery



Absorber Profile



Elite Profile



Rubber Profile

Height	9mm
Profiles per linear metre	30 units
Fire Rating	Rubber Dfl-S1, Other Bfl-S1
Resistance to vertical load	50KN
DDA Compliant	Suitable for wheelchair use
Profile width	33mm
Profile length	3000mm
Structure	100% aluminium – no PVC joining pieces
Grade	Aluminium alloy 6063T5
Guarantee	10 years





Stock

# BARRIER TILE RANGES

7280 ROBUST Anthracite

## Heavy Contract Barrier Tiles

Heavy contract barrier tiles are designed to remove dirt and moisture to prevent ingress to adjacent floor coverings. They are ideal for heavy traffic areas such as reception areas and internal entrance ways.

The Duraflor ranges of barrier tiles are the perfect choice for busy offices and circulation areas.

**Reduces Soiling** – incorporates a scraper fibre that effectively scrapes soiling from shoes, and reduces ‘walked in’ dirt

**Longer Life** – designed to give excellent performance in heavy traffic areas such as entrance halls and corridors

**Enhance Interiors** – attractive designs that complement modern interiors

The rugged diagonal rib design of ROBUST both hides soiling effectively and provides a dramatic patterned visual appeal in high traffic areas.

ROBUST is ideally suited for use in demanding locations such as entrance lobbies, trade counters and locker rooms and has an impressive track record of use in schools, hostels and industrial units.



7281 Anthracite



7276 Indigo



7280 Silver Grey



7285 Coffee

## Product Specifications

### Dimensions

Tile Size  
500 x 500mm

### Technical Data



Pile Weight  
1,150g/m<sup>2</sup>



Fire Rating  
EN 13297 Efl



Total Weight  
4,400g/m<sup>2</sup>



Total Thickness  
9.5mm

### Construction

Pile Type  
100% Polypropylene

### Guarentee

10 years commercial guarantee





Stock

# BARRIER TILE RANGES

7369 CHECKPOINT Riverbank

CHECKPOINT is a contract entrance tile that is suitable for use in prestigious and heavy wear areas. It has a 100% polyamide pile that incorporates a scraper fibre to offer a combination of effective scraping action and excellent absorbency. CHECKPOINT is available in a range of popular colours suitable for entrance areas.

The CHECKPOINT range offers many benefits:

**Cleaner Environment** – the combination of polyamide fibres and scraper fibres offers excellent scraping action and excellent absorbency

**Cost Savings** – increasing the life of surrounding floor coverings

**Increased Safety** – reducing 'walked in' moisture reduces the risk of slips and trips. The surface is also DDA compliant as it is suitable for wheeled traffic



7369 Riverbank



7353  
Outcrop



7371  
Shale

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm

### Technical Data



Pile Weight  
830g/m<sup>2</sup>



Total Weight  
3,910g/m<sup>2</sup>



Fire Rating  
ISO 13501-1 Bfl-S1



Total Thickness  
8.2mm

### Construction

Pile Type  
100% Polyamide

### Guarentee

10 years commercial guarantee





Stock

# BARRIER TILE RANGES

0810 FRONTLINE Main Road

FRONTLINE is available in an attractive linear design, which incorporates scraper fibres. Ideal for matwells, foyers and circulation areas, the fibre and construction of FRONTLINE is designed to dramatically reduce wear and soiling on all internal floor areas.

In addition to protecting floors FRONTLINE

**Enhances Interiors** – attractive linear design

**Easy to install** – butts up against carpet tiles without the need for a trim

## Product Specifications

### Dimensions



Tile Size  
500 x 500mm

### Technical Data



Pile Weight  
740g/m<sup>2</sup>



Total Weight  
4700g/m<sup>2</sup>



Fire Rating  
ISO 13501-1 Bfl-S1



Total Thickness  
7.2mm

### Construction

Pile Type  
100% PA6 Aqualon HD

### Guarentee

12 years commercial guarantee



**0810** Main Road



**0820**  
Rail Road



**0830**  
Country Road



# FLOORING WITHOUT THE FUSS.

Our range of services ensure all your project needs are quickly met.

## Project assistance

Many of our projects share a similar theme – a fixed budget, speed of turnaround, versatility of products and a desire to create a practical yet stunning look. We work with you to provide the best solution. This includes project costing and helping with floor plans.

## Sample service

We can offer a next day sample service, helping to confirm the selection and making any testing requirements possible. We even offer a Project Service, a sample presentation box with Project details on, mixed ranges if required – delivered directly to your client for you to then discuss over the phone.

## FlorSupport

We can provide advice on subfloor preparation and guidance on the best adhesive for the job. We also help with care and maintenance advice.

## Website Tools

In addition to our project pricing and quantity calculator, we also have downloadable swatch samples available on our website for design packages. There is also plenty of design inspiration pages on the site.

## Recycling

To meet your sustainability obligations we can help, offering you a Carpet Tile part-exchange service. An environmental programme for disposing of used carpet tiles.

## Showroom

Our showroom in Leeds is an ideal place to discuss your project requirements. We also have a great London hub facility just off the M25 / M4 junction. We are happy to arrange an appointment to show you products and discuss your needs.

## Part of the Langford Group

Duraflor Ltd. is part of the Langford Group. That means a guarantee of expert customer service from the Group's own sales and service division – SASGO Ltd.

## Contact us today:

[www.duraflor.com](http://www.duraflor.com)  
0330 053 2500  
[sales@sasgo.co.uk](mailto:sales@sasgo.co.uk)





## **For Project Help**

**call 0330 053 2500**

[sales@sasgo.co.uk](mailto:sales@sasgo.co.uk)

[www.duraflor.com](http://www.duraflor.com)

part of the **Langford Group**

Duraflor is part of the Langford Group and exclusively distributed by SASGO Limited, the sales and service arm of the Group.

All colours are for illustrative purposes only. If colour choice is critical, please request a sample.